

BENEFIT COVERAGE POLICY

Title: BCP-45 Preventive Health Services

Effective Date: 10/01/2021



Physicians Health Plan
PHP Insurance Company
PHP Service Company

Important Information - Please Read Before Using This Policy

The following coverage policy applies to health benefit plans administered by PHP and may not be covered by all PHP plans. Please refer to the member's benefit document for specific coverage information. If there is a difference between this general information and the member's benefit document, the member's benefit document will be used to determine coverage. For example, a member's benefit document may contain a specific exclusion related to a topic addressed in a coverage policy.

Coverage determinations for individual requests require consideration of:

- The terms of the applicable benefit document in effect on the date of service.
- Any applicable laws and regulations.
- Any relevant collateral source materials including coverage policies.
- The specific facts of the particular situation.

Contact PHP Customer Service to discuss plan benefits more specifically.

1.0 Policy:

Health Plan covers preventive health services to adults and children, as required by the ACA.

Certain preventive health services require prior approval for coverage.

2.0 Background

The Affordable Care Act (ACA) requires individual and group health plans to cover network preventive health services and immunizations without a member cost-share (e.g., deductibles, coinsurance, and copayments) unless the plan qualifies under the grandfather provision or for an exemption. Coverage for preventive health services other than those mandated by ACA is dependent on benefit plan language.

The preventive health services listed in this policy are based on recommendations from:

- United States Preventive Task Force (USPSTF), grade A or B recommendations.
- Centers for Disease Control and Prevention (CDC).

- Health Resources and Services Administration (HRSA).
- Latest medical research from organizations like the American Medical Association (AMA).
- Pharmacy Benefit Manager.

3.0 Clinical Determination Guidelines:

1. Preventive health services do not incur a member cost share when they are all the following:
 - a. Listed in this policy.
 - b. Done for preventive purposes (not diagnostic).
 - c. Completed by a network provider.
2. Some services MAY require prior approval. See table below.
 - a. Screening versus diagnostic, monitoring or surveillance testing.

A positive result on a preventive screening exam does not alter its classification as a preventive service but does influence how that service is classified when rendered in the future. For example, if a screening colonoscopy performed on an asymptomatic individual without additional risk factors for colorectal cancer (e.g., adenomatous polyps, inflammatory bowel disease) detects colorectal cancer or polyps, the purpose of the procedure remains screening, even if polyps are removed during the preventive screening. However, once a diagnosis of colorectal cancer or additional risk factors for colorectal cancer is identified, future colonoscopies will no longer be considered preventive screening.

3. Reporting of preventive care services.

Preventive health services are reported with diagnosis and procedure codes, which identify the services as preventive and not for treatment of injury or illness (see code chart below). Age, gender or frequency limits are utilized for certain designated services (i.e., wellness exams, vision and hearing screening, administration of Human Papillomavirus [HPV] vaccines, nutritional and genetic counseling). Preventive health services submitted with diagnosis codes that represent treatment of illness or injury are paid as applicable under member's normal medical benefits rather than preventive care coverage.

4.0 Coding:

Prior Approval Legend: Y = All lines of business; N = None required; 1 = HMO/POS; 2 = EPO/PPO; 3 = SHS 264; 4 = SHS 1269 Non-Union & Union; 5 = LBWL; 6 = Dart; 7 = SHS 1269 Union Only; 8 = ASO group L0002184.

Medical Services

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
Abdominal aortic aneurysm (AAA) Screening (12/20/19 USPSTF recommendation for men aged 65–75 who have ever smoked, one-time screening)	76706	Ultrasound, abdominal aorta, real time with image documentation; screening study for abdominal aortic aneurysm (AAA)		X	F17.200	Nicotine dependence, unspecified, uncomplicated	X		
					F17.201	Nicotine dependence, unspecified, in remission			
					F17.210	Nicotine dependence, cigarettes, uncomplicated			
					F17.211	Nicotine dependence, cigarettes, in remission			
					F17.220	Nicotine dependence, chewing tobacco, uncomplicated			
					F17.221	Nicotine dependence, chewing tobacco, in remission			
					F17.290	Nicotine dependence, other tobacco product, uncomplicated			
					F17.291	Nicotine dependence, other tobacco product, in remission			

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
					Z87.891	Personal history of nicotine dependence			
Alcohol/ substance misuse screening and behavioral counseling	99408	Alcohol and/or Substance Abuse structured screening, and brief intervention services; 15 to 30 minutes		X	Z72.89	Other problems related to lifestyle	X		
	99409	Alcohol and/or Substance Abuse structured screening, and brief intervention services; >30 minutes		X	Z000.0	Encounter for general adult medical examination	X		
	G0396	Alcohol and/or substance abuse structured assessment, and brief intervention 15 to 30 minutes		X	Z000.1	Encounter for general adult medical examination with abnormal findings	X		
	G0397	Alcohol and/or substance abuse structured assessment, and brief intervention > 30 minutes		X	Z013.89	Encounter for screening for other disorder	X		
	G0442	Annual alcohol misuse screening, 15 minutes		X			X		
	G0443	Brief face-to-face behavioral counseling for alcohol misuse, 15 minutes		X			X		
Annual physical	96160	Administration of patient-focused health risk assessment instrument (e.g., health hazard appraisal) with scoring and documentation, per					X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
		standardized instrument							
	96161	Administration of caregiver-focused health risk assessment instrument (e.g., depression inventory) for the benefit of the patient, with scoring and documentation, per standardized instrument					X		
	99381	Initial Preventive Medicine E&M, new patient; Infant (younger than 1 year)						X	
	99382	Initial Preventive Medicine E&M, new patient; Early childhood (1-4 years)						X	
	99383	Initial Preventive Medicine E&M, new patient; Late childhood (5-11 years)						X	
	99384	Initial Preventive Medicine E&M, new patient; Adolescent (12-17 years)						X	
	99385	Initial Preventive Medicine E&M, new patient; 18-39 years					X		
	99386	Initial Preventive Medicine E&M, new patient; 40-64 years					X		
	99387	Initial Preventive Medicine E&M, new patient; 65 years and					X		

Preventive Service	CPT/ HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
		older							
	99391	Periodic Preventive Medicine E&M, established patient; Infant (younger than 1 year)						X	
	99392	Periodic Preventive Medicine E&M, established patient; Early childhood (1-4 years)						X	
	99393	Periodic Preventive Med E&M, established patient; Late childhood (5-11 years)						X	
	99394	Periodic Preventive Medicine E&M, established patient; Adolescent (12-17 years)						X	
	99395	Periodic Preventive Medicine E&M, established patient; 18- 39 years					X		
	99396	Periodic Preventive Medicine E&M, established patient; 40- 64 years					X		
	99397	Periodic Preventive Medicine E&M, established patient; 65 years and older					X		
	99401	Preventive Medicine Counseling, individual; 15 minutes					X		

Preventive Service	CPT/ HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
	99402	Preventive Medicine Counseling, individual; 30 minutes					X		
	99403	Preventive Medicine Counseling, individual; 45 minutes					X		
	99404	Preventive Medicine Counseling, individual; 60 minutes					X		
	99411	Preventive Medicine Counseling, group; 30 minutes					X		
	99412	Preventive Medicine Counseling, group; 60 minutes					X		
	99429	Unlisted preventive medicine service	Y - MRM to review				X		
	99461	Initial care, E&M normal newborn infant seen in other than hospital or birthing center							X
	G0468	Federally qualified health center visit, initial preventive physical exam or annual wellness visit					X		
Cardio-vascular screening (includes blood pressure and labs)	80061	Lipid Panel		X	Z00.00	Encounter for general adult medical examination without abnormal findings	X		
	82465	Cholesterol		X	Z00.01	Encounter for general adult medical	X		

Preventive Service	CPT/ HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
						examination with abnormal findings			
	84478	Triglycerides		X	Z13.6	Encounter for screening for cardiovascular disorders	X		
Colorectal cancer screening	00811	Anesthesia for lower intestinal endoscopic procedures, endoscope introduced distal to duodenum; not otherwise specified		X	Z00.00	Encounter for general adult medical examination without abnormal findings	X		
	00812	Anesthesia for lower intestinal endoscopic procedures, endoscope introduced distal to duodenum; screening colonoscopy		X	Z00.01	Encounter for general adult medical examination with abnormal findings	X		
	44392	Colonoscopy-Stoma; w/ removal of tumor, polyp, lesion, forceps		X	Z12.10	Encounter for screening for malignant neoplasm of intestinal tract, unspecified	X		
	44394	Colonoscopy-Stoma; w/ removal of tumor, polyp, lesion, snare		X	Z12.11	Encounter for screening for malignant neoplasm of colon	X		
	44401	Colonoscopy-stoma; w/ ablation of tumor(s), polyp(s), or other lesion(s)		X	Z12.12	Encounter for screening for malignant neoplasm of rectum	X		
	45300	Proctosigmoidoscopy, rigid; diagnostic		X	Z12.13	Encounter for screening for malignant neoplasm of small intestine	X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
	45305	Proctosigmoidoscopy, rigid; diagnostic, with biopsy, single or multiple		X	Z80.0	Family history of malignant neoplasm of digestive organs	X		
	45308	Proctosigmoidoscopy, rigid; diagnostic, w/ removal of single tumor, polyp, or lesion, forceps or bipolar cautery		X	Z83.71	Family history of colonic polyps	X		
	45309	Proctosigmoidoscopy, rigid; diagnostic, with removal of single tumor, polyp, lesion, snare		X	Z85.00	Personal history of malignant neoplasm of unspecified digestive organ	X		
	45315	Proctosigmoidoscopy, rigid; diagnostic, w/ removal of multiple tumors, polyps, lesions, forceps, snare		X	Z85.038	Personal history of other malignant neoplasm of large intestine	X		
	45320	Proctosigmoidoscopy, rigid; diagnostic, w/ ablation of tumor, polyp, lesion by forceps, bipolar cautery or snare		X	Z85.048	Personal history of malignant neoplasm of epididymis	X		
	45330	Sigmoidoscopy flexible; diagnostic		X	Z86.010	Personal history of colonic polyps	X		
	45331	Sigmoidoscopy flexible; diagnostic w/ biopsy, single or multiple		X			X		
	45332	Sigmoidoscopy flexible; diagnostic w/ removal foreign body		X			X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
	45333	Sigmoidoscopy flexible; diagnostic w/ removal of tumor, polyp, lesion by forceps		X			X		
	45334	Sigmoidoscopy flexible; diagnostic w/ control of bleeding, any method		X			X		
	45338	Sigmoidoscopy flexible; diagnostic w/ removal of tumor, polyp, lesion by snare		X			X		
	45346	Sigmoidoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesion(s)		X			X		
	45341	Sigmoidoscopy flexible; diagnostic w/ endoscopic ultrasound		X			X		
	45342	Sigmoidoscopy flexible; diagnostic w/ transendoscopic ultrasound guided fine needle aspiration/biopsy		X			X		
	45378	Colonoscopy flexible; diagnostic including collection of specimen by brushing or washing		X			X		
	45380	Colonoscopy flexible; diagnostic w/ biopsy, single or multiple		X			X		
	45381	Colonoscopy flexible; diagnostic w/ directed submucosal injection(s)		X			X		
	45382	Colonoscopy flexible; diagnostic w/ control of bleeding, any method		X			X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
	45388	Colonoscopy flexible; diagnostic w/ ablation of tumor, polyp, lesion		X			X		
	45384	Colonoscopy flexible; diagnostic w/ removal of tumor, polyp, lesion by forceps		X			X		
	45385	Colonoscopy flexible; diagnostic w/ removal of tumor, polyp, lesion by snare		X			X		
	81528	Oncology (colorectal) screening, quantitative real-time target and signal amplification of 10 DNA markers (KRAS mutations, promoter methylation of NDRG4 and BMP3) and fecal hemoglobin, utilizing stool, algorithm report as a positive or negative result (i.e., Cologuard)		X			X		
	82270	Blood occult, by peroxidase activity, feces		X			X		
	G0104	Colorectal cancer screening; flexible sigmoidoscopy					X		
	G0105	Colorectal cancer screening; colonoscopy, high risk					X		
	G0106	Colorectal cancer screening; alternative to G0104, screening sigmoidoscopy, barium					X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
		enema							
	G0120	Colorectal cancer screening; alternative to G0105, screening colonoscopy, barium enema					X		
	G0121	Colorectal cancer screening; colonoscopy on individual not meeting criteria for high risk					X		
	G0122	Colorectal cancer screening; barium enema					X		
	G0328	Colorectal cancer screening; fecal-occult blood test, immunoassay, 1-3 simultaneous					X		
Contraception	58300	Insertion of intrauterine device (IUD)			Z30013	Encounter for initial prescription of injectable contraceptive			X
	58301	Removal of intrauterine device (IUD)		x	Z30019	Encounter for initial prescription of contraceptives, unspecified			X
	11981	Insertion non-biodegradable drug delivery implant			Z3009	Encounter for other general counseling and advice on contraception			X
	57170	Diaphragm or cervical cap fitting w/ instructions			Z3040	Encounter for surveillance of contraceptives, unspecified			X

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
	96372	Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular		x	Z3042	Encounter for surveillance of injectable contraceptive			X
	A4261	Cervical cap for contraceptive use			Z308	Encounter for other contraceptive management			X
	A4264	Permanent implantable contraceptive intratubal occlusion device(s) and delivery system			Z309	Encounter for contraceptive management, unspecified			X
	58300	Insertion of intrauterine device (IUD)			Z30013	Encounter for initial prescription of injectable contraceptive			X
	S4981	Insertion of levonorgestrel-releasing intrauterine system							X
	S4989	Contraceptive intrauterine device, including implants and supplies							X
Depression screening	96127	Brief emotional/behavioral assessment, with scoring and documentation, per standardized instrument		X	Z13.89	Encounter for screening for other disorder	X	X	
	G0444	Annual depression screening 15 minutes		X	Z00.129	Encounter for routine child health exam without abnormal findings	X	X	
Diabetes screening	82947	Glucose; quantitative, blood (except reagent strip)		X	Z13.1	Encounter for screening for diabetes mellitus	X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
	82948	Glucose; blood, reagent strip		X			X		
	82950	Glucose; post glucose dose (includes glucose)		X			X		
	82951	Glucose; tolerance test 3 specimens		X			X		
	83036	Hemoglobin; glycated (A ₁ C)		X			X		
	0403T	Preventive behavior changes, intensive program of prevention of diabetes using a standardized diabetes prevention program curriculum, provided to individuals in a group setting, minimum 60 minutes, per day					X		
	0488T	Preventive behavior changes, online/ electronic structured intensive program for prevention of diabetes using a standardized diabetes prevention program curriculum, provided to an individual, per 30 days					X		
Immunizations (vaccines)	G0008	Administration of influenza virus vaccine					X		
	G0009	Administration of pneumococcal vaccine					X	X	
	G0010	Administration of Hepatitis B vaccine					X	X	

Preventive Service	CPT/ HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
Infectious and sexually transmitted disease counseling	99401	Preventive Medicine Counseling, individual, 15 minutes					X		
	99402	Preventive Medicine Counseling, individual, 30 minutes					X		
	99403	Preventive Medicine Counseling, individual, 45 minutes					X		
	99404	Preventive Medicine Counseling, individual, 60 minutes					X		
	99411	Preventive Medicine Counseling, group, 30 minutes					X		
	99412	Preventive Medicine Counseling, group, 60 minutes					X		
	G0445	High intensity behavioral counseling to prevent sexually transmitted infection, individual, semi-annual, 30 minutes					X		
Infectious and sexually transmitted disease screening: chlamydia	86631	Antibody; Chlamydia		X	Z00.00	Encounter for general adult medical examination w/o abnormal findings	X		
	86632	Antibody; Chlamydia, IgM		X	Z00.01	Encounter for general adult medical examination w/ abnormal findings	X		
	87110	Culture, chlamydia, any source		X	Z00.8	Encounter for other general	X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
						examination			
	87270	Infectious agent antigen detection by immunofluorescent technique; Chlamydia trachomatis		X	Z01.411	Encounter for gynecological examination (general) (routine) w/ abnormal findings	X		
	87320	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Chlamydia trachomatis		X	Z01.419	Encounter for gynecological examination (routine) w/o abnormal findings	X		
	87490	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, direct probe technique		X	Z01.42	Encounter for cervical smear to confirm findings of recent normal smear following initial abnormal smear	X		
	87491	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique		X	Z32.00	Encounter for pregnancy test, result unknown	X		
	87492	Infectious agent detection by nucleic acid (DNA or RNA);		X	Z32.01	Encounter for pregnancy test, result positive	X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
		Chlamydia trachomatis, quantification							
	87810	Infectious agent antigen detection by immunoassay with direct optical observation; Chlamydia trachomatis		X	Z32.02	Encounter for pregnancy test, result negative	X		
					Z11.8	Encounter for screening for other infectious and parasitic diseases			
					Z11.59	Encounter for screening for other viral diseases			
					Z11.3	Encounter for screening for infections with a predominantly sexual mode of transmission			
Infectious and sexually transmitted disease screening: gonorrhea	87590	Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, direct probe technique		X	Z00.00	Encounter for general adult medical examination w/o abnormal findings	X		
	87591	Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique		X	Z00.01	Encounter for general adult medical examination w/ abnormal findings	X		
	87592	Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, quantification		X	Z00.8	Encounter for other general examination	X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
	87850	Infectious agent antigen detection by immunoassay with direct optical observation; Neisseria gonorrhoeae		X	Z01.411	Encounter for gynecological examination (routine) w/ abnormal findings	X		
					Z01.419	Encounter for gynecological examination (routine) w/o abnormal findings			
					Z01.42	Encounter for cervical smear to confirm findings of recent normal smear following initial abnormal smear			
					Z11.3	Encounter for screening for infections with a predominantly sexual mode of transmission			
Infectious and sexually transmitted disease screening: hepatitis B	86704	Hepatitis B core antibody (HBcAb); total		X	Z00.00	Encounter for general adult medical examination w/o abnormal findings	X		
	86705	Hepatitis B core antibody (HBcAb); IgM antibody		X	Z00.01	Encounter for general adult medical examination w/ abnormal findings	X		
	86706	Hepatitis B surface antibody (HBsAb)		X	Z00.8	Encounter for other general examination	X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
	86707	Hepatitis Be antibody (HBeAb)		X	Z01.411	Encounter for gynecological examination (routine) w/ abnormal findings	X		
	87340	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis B surface antigen (HBsAg)		X	Z01.419	Encounter for gynecological examination (routine) w/o abnormal findings	X		
	87341	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis B surface antigen (HBsAg) neutralization		X	Z11.3	Encounter for screening for infections with a predominantly sexual mode of transmission	X		
	87516	Infectious agent detection by nucleic		X	Z77.21	Contact w/ and (suspected)	X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
		acid (DNA or RNA); hepatitis B virus, amplified probe technique				exposure to potentially hazardous body fluids			
	87517	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, quantification		X			X		
	G0499	Hepatitis B screening in non-pregnant, high risk individual		X			X		
Infectious and sexually transmitted disease screening: hepatitis C	86803	Hepatitis C antibody		X	Z00.00	Encounter for general adult medical examination w/o abnormal findings	X		
	86804	Hepatitis C antibody; confirmatory test (e.g., immunoblot)		X	Z00.01	Encounter for general adult medical examination w/ abnormal findings	X		
	87520	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, direct probe technique		X	Z00.8	Encounter for other general examination	X		
	87521	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, amplified probe technique, includes reverse transcription when performed		X	Z01.411	Encounter for gynecological examination (routine) w/ abnormal findings	X		
	87522	Infectious agent detection by nucleic acid (DNA or RNA);		X	Z01.419	Encounter for gynecological examination	X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
		hepatitis C, quantification, includes reverse transcription when performed				(routine) w/o abnormal findings			
	87902	Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus		X	Z11.3	Encounter for screening for infections with a predominantly sexual mode of transmission	X		
	G0472	Hepatitis C antibody screening for individual at high risk and other covered indication(s)		X	Z77.21	Contact w/ and (suspected) exposure to potentially hazardous body fluids	X		
Infectious and sexually transmitted disease screening: HIV/AIDS	86689	Antibody; HTLV or HIV antibody, confirmatory test (e.g., Western Blot		X	Z00.00	Encounter for general adult medical examination w/o abnormal findings	X		
	86701	Antibody; HIV-1		X	Z00.01	Encounter for general adult medical examination w/ abnormal findings	X		
	86702	Antibody; HIV-2		X	Z00.8	Encounter for other general examination	X		
	86703	Antibody; HIV-1 and HIV-2, single result		X	Z01.411	Encounter for gynecological examination (routine) w/ abnormal findings	X		
	87389	Infectious agent antigen detection by immunoassay technique, (e.g.,		X	Z01.419	Encounter for gynecological examination (routine) w/o	X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
		enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; HIV-1 antigen(s), with HIV-1 and HIV-2 antibodies, single result				abnormal findings			
	87390	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; HIV-1		X	Z11.3	Encounter for screening for infections with a predominantly sexual mode of transmission	X		
	87391	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative,		X			X		

Preventive Service	CPT/ HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
		multiple-step method; HIV-2							
	87534	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, direct probe technique		X			X		
	87535	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, amplified probe technique, includes reverse transcription when performed		X			X		
	87536	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, quantification, includes reverse transcription when performed		X			X		
	87537	Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, direct probe technique		X			X		
	87538	Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, amplified probe technique, includes reverse transcription when performed		X			X		
	87539	Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, quantification, includes reverse		X			X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
		transcription when performed							
	G0432	Infectious agent antibody detection by enzyme immunoassay (EIA) technique, HIV-1 and/or HIV-2, screening		X			X		
	G0433	Infectious agent antibody detection by enzyme-linked immunosorbent assay (ELISA) technique, HIV-1 and/or HIV-2, screening					X		
	G0435	Infectious agent antigen detection by rapid antibody test of oral mucosa transudate, HIV-1 or HIV-2, screening		X			X		
	G0475	HIV antigen/antibody, combination assay, screening		X			X		
Infectious and sexually transmitted disease screening: human papillomavirus (HPV)	87623	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), low-risk types (e.g., 6, 11, 42, 43, 44)		X	Z00.00	Encounter for general adult medical examination w/o abnormal findings	X		
	87624	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), high-risk types (e.g., 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68)		X	Z00.01	Encounter for general adult medical examination w/ abnormal findings	X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
	87625	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), types 16 and 18 only, includes type 45, if performed		X	Z00.8	Encounter for other general examination	X		
					Z01.411	Encounter for gynecological examination (routine) w/ abnormal findings			
					Z01.419	Encounter for gynecological examination (routine) w/o abnormal findings			
					Z11.3	Encounter for screening for infections with a predominantly sexual mode of transmission			
					Z11.51	Encounter for screening for human papillomavirus (HPV)			
					Z12.4	Encounter for screening for malignant neoplasm of cervix			
					Z12.72	Encounter for screening for malignant neoplasm of vagina			
Infectious and sexually transmitted	86592	Syphilis test, non-treponemal antibody;		X	Z00.00	Encounter for general adult	X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
disease screening: syphilis		qualitative (e.g., VDRL, RPR, ART)				medical examination w/o abnormal findings			
	86593	Syphilis test, non-treponemal antibody; quantitative		X	Z00.01	Encounter for general adult medical examination w/ abnormal findings	X		
	86780	Antibody; Treponema pallidum		X	Z00.8	Encounter for other general examination	X		
					Z01.411	Encounter for gynecological examination (routine) w/ abnormal findings			
					Z01.419	Encounter for gynecological examination (routine) w/o abnormal findings			
					Z11.3	Encounter for screening for infections with a predominantly sexual mode of transmission			
					Z32.00	Encounter for pregnancy test, result unknown			
					Z32.01	Encounter for pregnancy test, result positive			
					Z32.02	Encounter for pregnancy test, result negative			
	Lung cancer screening	71250	CT; thorax, w/o contrast material			F17.200 - F17.299	Nicotine Dependence	X	

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
	G0296	Counseling visit to discuss need for lung cancer screening using low dose CT scan (LDCT) (service is for eligibility determination and shared decision making)			Z12.2	Encounter for screening for malignant neoplasm of respiratory organs	X		
	G0297 Deleted 1/1/21	Low dose CT scan for lung cancer screening			Z87.891	Personal history of nicotine dependence	X		
	71271	Computed tomography, thorax, low-dose for lung cancer screening, without contrast material(s)		X			X		
Nutritional counseling	G0446	Intensive behavioral therapy for cardiovascular disease, individual, annual, 15 minutes		X	Z00.00	Encounter for general adult medical exam without abnormal findings	X	X	
	G0447	Behavioral counseling for obesity, 15 minutes		X	Z00.01	Encounter for general adult medical exam with abnormal findings	X	X	
	G0473	Face-to-face behavioral counseling for obesity, group (2-10), 30 minutes		X	Z00.121	Encounter for routine child health exam with abnormal findings	X	X	
					Z00.129	Encounter for routine child health exam without abnormal findings			
					Z00.8	Encounter for other general exam			

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
					Z68.2 – Z68.54	Body mass index (BMI)			
					Z71.3	Dietary counseling and surveillance			
Obesity screening and counseling	99401	Preventive Medicine Counseling, individual; 15 minutes		X	Z13.89	Encounter for screening for other disorder	X	X	
	99402	Preventive Medicine Counseling, individual; 30 minutes		X	Z68.30	Body mass index (BMI) 30.0 – 30.9, adult	X	X	
	99403	Preventive Medicine Counseling, individual; 45 minutes		X	Z68.39	Body mass index (BMI) 39.0 – 39.9, adult	X	X	
	99404	Preventive Medicine Counseling, individual; 60 minutes		X	Z68.41	Body mass index (BMI) 40.0 – 44.9, adult	X	X	
	99411	Preventive Medicine Counseling, group; 30 minutes		X	Z68.45	Body mass index (BMI) 70 or greater, adult	X	X	
	99412	Preventive Medicine Counseling, group; 60 minutes		X			X	X	
	G0447	Behavioral counseling for obesity, 15 minutes		X			X	X	
Prostate cancer screening	84152	Prostate specific antigen (PSA); complexed (direct measurement)					X		
	84153	Prostate specific antigen (PSA); total					X		
	84154	Prostate specific antigen (PSA); free					X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
	G0102	Prostate cancer screening; digital rectal exam					X		
	G0103	Prostate cancer screening; PSA test					X		
Skin cancer behavioral counseling	99401	Preventive Medicine Counseling, individual; 15 minutes					X	X	
	99402	Preventive Medicine Counseling, individual; 30 minutes					X	X	
	99403	Preventive Medicine Counseling, individual; 45 minutes					X	X	
	99404	Preventive Medicine Counseling, individual; 60 minutes					X	X	
	99411	Preventive Medicine Counseling, group; 30 minutes					X	X	
	99412	Preventive Medicine Counseling, group; 60 minutes					X	X	
Tobacco use counseling	99406	Smoking and tobacco use cessation counseling visit; intermediate, 3 to 10 minutes					X		
	99407	Smoking and tobacco use cessation counseling visit; intermediate, greater than 10 minutes					X		
Tuberculosis (TB) testing	86480	Tuberculosis test		X	Z00.00	Encounter for general adult medical	X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
						examination w/o abnormal findings			
	86580	Skin test; tuberculosis intradermal		X	Z00.01	Encounter for general adult medical examination w/ abnormal findings	X		
					Z03.89	Encounter for observation for other suspected diseases and conditions ruled out			
					Z11.1	Encounter for screening for respiratory tuberculosis			
Developmental screening	96110	Developmental screening, with scoring and documentation, per standardized instrument		X	Z00.110	Health examination for newborn under 8 days old			
					Z00.111	Health examination for newborn 8 to 28 days old			
					Z00.121	Encounter for routine child health examination with abnormal findings			
					Z00.129	Encounter for routine child health examination without abnormal findings			
					Z13.40	Encounter for screening for unspecified developmental delays			

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
					Z13.41	Encounter for autism screening			
					Z13.42	Encounter for screening for global developmental delays (milestones)			
					Z13.49	Encounter for screening for other developmental delays			
					Z76.2	Encounter for health supervision and care of other healthy infant and child			
Hearing screening	92551	Screening test, pure tone, air only		X	Z00.110	Health examination for newborn under 8 days old		X	
	V5008	Hearing screening		X	Z00.111	Health examination for newborn 8 to 28 days old		X	
					Z00.121	Encounter for routine child health examination with abnormal findings		X	
					Z00.129	Encounter for routine child health examination without abnormal findings		X	
					Z76.2	Encounter for health supervision and care of other healthy infant and child		X	
Hypo-thyroidism screening	84436	Thyroxine; total		X	Z13.29	Encounter for screening for other suspected		X	

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
						endocrine disorder			
	84437	Thyroxine; requiring elution (e.g., neonatal)						X	
	84439	Thyroxine; free						X	
	84443	Thyroid Stimulating Hormone						X	
Lead screening	83655	Lead		X	Z13.88	Encounter for screening for disorder due to exposure to contaminants		X	
Newborn metabolic screening	S3620	Newborn metabolic screening panel, includes test kit, postage and lab tests specified by the state for inclusion in this panel		X	Z00.110	Health examination for newborn under 8 days old		X	
					Z00.111	Health examination for newborn 8 to 28 days old			
Oral health	99188	Application of topical fluoride varnish by a physician or other qualified health care professional						X	
PKU screening	83498	Hydroxyprogesterone 17-D		X	Z13.228	Encounter for screening for other metabolic disorders		X	
	84030	Phenylalanine (PKU), blood		X				X	
Sickle cell screening	83020	Hemoglobin fractionation and quantitation; electrophoresis (e.g., A2, S, C, and/or F)		X	Z13.0	Encounter for screening for diseases of the blood and blood-forming organs and		X	

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
						certain disorders involving the immune mechanism			
	83021	Hemoglobin fractionation and quantitation; chromatography (e.g., A2, S, C, and/or F)		X				X	
	S3850	Genetic testing for sickle cell anemia		X				X	
Vision screening	99172	Visual function screening		X	Z00.110	Health examination for newborn under 8 days old		X	
	99173	Screening test of visual acuity		X	Z00.111	Health examination for newborn 8 to 28 days old		X	
	G0117	Glaucoma screening for high risk patients furnished by an optometrist or ophthalmologist		X	Z00.121	Encounter for routine child health examination with abnormal findings		X	
	G0118	Glaucoma screening for high risk patients furnished under the direct supervision of an optometrist or ophthalmologist		X	Z00.129	Encounter for routine child health examination without abnormal findings		X	
					Z76.2	Encounter for health supervision and care of other healthy infant and child			
Asymptomatic bacteriuria in pregnant women, screening	81007	Urinalysis; bacteriuria screen		X	O09.00	Supervision of high risk pregnancy			X
	87081	Culture, presumptive, pathogenic organisms,		X	O09.93	Supervision of high risk pregnancy			X

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
		screening only							
	87084	Culture, presumptive, pathogenic organisms, screening only; with colony estimation from density chart		X	Z33.1	Pregnant state, incidental			X
	87086	Culture, bacterial; quantitative colony count, urine		X	Z34.00	Encounter for supervision of normal first pregnancy, unspecified trimester			X
	87088	Culture, bacterial; with isolation and presumptive identification of each isolate, urine		X	Z34.01-	Encounter for supervision of normal first pregnancy, first trimester			X
					Z34.93	Encounter for supervision of normal pregnancy, unspecified, third trimester			
Breast cancer screening: BRCA genetic counseling	96040	Medical Genetics and Genetic Counseling Services, each 30 minutes, face-to-face with patient/family							X
	99401	Preventive Medicine Counseling, individual; 15 minutes							X
	99402	Preventive Medicine Counseling, individual; 30 minutes							X
	99403	Preventive Medicine Counseling, individual; 45 minutes							X

Preventive Service	CPT/ HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
	99404	Preventive Medicine Counseling, individual; 60 minutes							X
Breast cancer screening: BRCA genetic mutation testing	81211	BRCA1, BRCA2 gene analysis; full sequence analysis and common duplication/deletion variants in BRCA 1	X						X
	81163	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis	X						X
	81164	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie, detection of large gene rearrangements)	X						X
	81165	BRCA1 (BRCA1, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis	X						X

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
	81166	BRCA1 (BRCA1, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie, detection of large gene rearrangements)	X						X
	81167	BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie, detection of large gene rearrangements)	X						X
	81212	BRCA1, BRCA2 (e.g., hereditary breast and ovarian cancer) gene analysis; 185delAG, 5385insC, 6174del variants	X						X
	81215	BRCA1 (breast cancer 1) (e.g., hereditary breast and ovarian cancer) gene analysis; known familial variant	X						X
	81216	BRCA2 (breast cancer 2) (e.g., hereditary breast and ovarian cancer); full sequence analysis	X						X

Preventive Service	CPT/ HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
	81217	BRCA2 (breast cancer 2) (e.g., hereditary breast and ovarian cancer); known familial variant	X						X
	81162	BRCA1, BRCA2 (breast cancer 1 and 2) (e.g., hereditary breast and ovarian cancer) gene analysis; full sequence analysis and full duplication/deletion analysis	X						X
Breast cancer screening: mammography	77067	Screening mammography, bilateral, including computer-aided detection (CAD)							X
Breast cancer screening: risk reduction of primary breast cancer		Tamoxifen or Raloxifene	X						X
Domestic violence screening/ counseling	99401	Preventive Medicine Counseling, individual; 15							X
	99402	Preventive Medicine Counseling, individual; 30 minutes							X
	99403	Preventive Medicine Counseling, individual; 45 minutes							X
	99404	Preventive Medicine Counseling, individual; 60 minutes							X

Preventive Service	CPT/ HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
	99411	Preventive Medicine Counseling, group; 30 minutes							X
	99412	Preventive Medicine Counseling, group; 60 minutes							X
Gynecological exam: cervical cancer screening	88141	Cytopathology, cervical or vaginal (any reporting system), requiring interpretation by physician							X
	88142	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; manual screening under physician supervision							X
	88143	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with manual screening and rescreening under physician supervision							X
	88147	Cytopathology smears, cervical or vaginal; screening by automated system under physician supervision							X
	88148	Cytopathology smears,							X

Preventive Service	CPT/ HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
		cervical or vaginal; screening by automated system with manual rescreening under physician supervision							
	88150	Cytopathology, slides, cervical or vaginal; manual screening under physician supervision							X
	88152	Cytopathology, slides, cervical or vaginal; with manual screening and computer-assisted rescreening under physician supervision							X
	88153	Cytopathology, slides, cervical or vaginal; with manual screening and rescreening under physician supervision							X
	88155	Cytopathology, slides, cervical or vaginal, definitive hormonal evaluation (e.g., maturation index, karyopyknotic index, estrogenic index)							X
	88164	Cytopathology, slides, cervical or vaginal (the Bethesda System); manual screening under physician supervision							X
	88165	Cytopathology, slides, cervical or vaginal (the Bethesda System); with							X

Preventive Service	CPT/ HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
		manual screening and rescreening under physician supervision							
	88166	Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and computer-assisted rescreening under physician supervision							X
	88167	Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and computer-assisted rescreening using cell selection and review under physician supervision							X
	88174	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; screening by automated system, under physician supervision							X
	88175	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with screening by automated system and							X

Preventive Service	CPT/ HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
		manual rescreening or review, under physician supervision							
	99385	Initial Preventive Medicine E&M, new patient; 18-39 years					X		
	99386	Initial Preventive Medicine E&M, new patient; 40-64 years					X		
	99387	Initial Preventive Medicine E&M, new patient; 65 years and older					X		
	99395	Periodic Preventive Medicine E&M, established patient; 18- 39 years					X		
	99396	Periodic Preventive Medicine E&M, established patient; 40- 64 years					X		
	99397	Periodic Preventive Medicine E&M, established patient; 65 years and older					X		
	G0101	Cervical or vaginal cancer screening; pelvic and clinical breast exam							X
	G0123	Screening cytopathology							X
	G0124	...cervical or vaginal							X
	G0141	Screening cytopathology smears, cervical or vaginal, performed by automated system, with							X

Preventive Service	CPT/ HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
		manual rescreening, requiring interpretation by physician							
	G0143	Screening cytology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with manual screening and rescreening by cytotechnologist under physician supervision							X
	G0144	Screening cytology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system, under physician supervision							X
	G0145	Screening cytology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system and manual rescreening							X

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
		under physician supervision							
	G0147	Screening cytopathology smears, cervical or vaginal, performed by automated system under physician supervision							X
	G0148	Screening cytopathology smears, cervical or vaginal, performed by automated system with manual rescreening							X
	P3000	Screening Pap smear, cervical or vaginal							X
	P3001	Screening Papanicolaou smear, cervical or vaginal, up to 3 smears, requiring interpretation by physician							X
	Q0091	Screening Papanicolaou smear; obtaining, preparing and conveyance of cervical or vaginal smear to laboratory							X
	S0610	Annual gynecological exam, new patient							X
	S0612	Annual gynecological exam, established patient							X
	S0613	Annual gynecological exam; clinical breast exam without pelvic exam							X

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
Osteoporosis screening: bone density study	76977	Ultrasound bone density measurement & interpretation, peripheral site(s), any method		X	Z13.820	Encounter for screening for osteoporosis			X
	77078	Computed tomography (CT), bone mineral density study, 1 or more sites; axial skeleton		X					X
	77080	Dual-Energy X-Ray Absorptiometry (DXA), Bone Density Study, 1 or More Sites; Axial Skeleton		X					X
	77085	Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites		X					X
	G0130	Single energy x-ray absorptiometry bone density study, one or more sites							X
Pregnancy: anemia screening	85013	Blood count, spun microhematocrit		X	Z13.0	Encounter for screening for diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism			X
	85014	Blood count; hematocrit (Hct)		X	Z34.00 - Z34.93	Encounter for supervision of normal pregnancy			X
	85018	Blood count; hemoglobin (Hgb)							X

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 years)	Women
Pregnancy: breastfeeding counseling	S9443	Lactation class non-physician provider, per session							X
Pregnancy: labs for pre- and post-natal care and delivery	82947	Glucose; quantitative, blood (except reagent strip)		X	O09.00 - O09.03	Supervision of high risk pregnancy			X
	82948	Glucose; blood, reagent strip		X	O30.00 - O30.93	Multiple gestation			X
	82950	Glucose; post glucose dose (includes glucose)		X	Z34.00 - Z34.93	Encounter for supervision of normal pregnancy			X
	82951	Glucose; tolerance test (GTT), 3 specimens (includes glucose)		X	Z36.0- Z36.5, Z36.81- Z36.9	Encounter for antenatal screening			X
	80055	Obstetric panel		X	Z37.0 - Z37.9	Outcome of delivery			X
	80081	Obstetric panel (includes HIV testing)		X	Z39.0 - Z39.2	Encounter for maternal postpartum care and exam			X
	86901	Blood typing; RH		X					X

Prescription Drugs

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 yrs)	Women
Cardio-vascular; blood clot/stroke prevention for men and women ages 50-59		Generic over the counter Aspirin 81mg with a once daily dosing					X		
Low to moderate dose statins for adult		Atorvastatin 10 mg and 20 mg					X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 yrs)	Women
men and women age 40 to 75 with one or more cardiovascular disease (CVD) risk factors		Fluvastatin 20 mg and 40 mg					X		
		Fluvastatin ER 80 mg					X		
		Lovastatin 10 mg, 20 mg and 40 mg					X		
		Pravastatin 10 mg, 20 mg, 40 mg and 80 mg					X		
		Rosuvastatin 5 mg and 10 mg					X		
		Simvastatin 5 mg, 10 mg, 20 mg and 40 mg					X		
Generic bowel prep for men and women ages 45 through 74		Citrate of Magnesia PEG 3350 Bisacodyl Magnesium Hydroxide					X		
Smoking cessation; quantity limit: 180-day supply of each product annually, *must be 18 or older		Chantix *Nicotine Patch – generic only *Nicotine Gum – generic only *Nicotine Lozenges – generic only Bupropion SR – generic for Zyban only					X		
Oral health for children less than 5 years of age		Generic prescription single entity or combo products providing 0.5mg per day of Fluoride						X	
	99188	Application of topical fluoride varnish by a physician or other qualified health care professional						X	

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 yrs)	Women
Contraception	J1050	Medroxyprogesterone acetate, 1 mg							X
	J7296	Levonorgestrel-releasing intrauterine contraceptive system (Kyleena), 19.5 mg							X
	J7297	Levonorgestrel-releasing intrauterine contraceptive system (Liletta), 18.6 mg							X
	J7298	Levonorgestrel-releasing intrauterine contraceptive system (Mirena), 52 mg							X
	J7300	Intrauterine copper contraceptive							X
	J7301	Levonorgestrel-releasing intrauterine contraceptive system (Skyla), 13.5 mg							X
	J7303	Contraceptive supply, hormone containing vaginal ring, each							X
	J7304	Contraceptive supply, hormone containing patch, each							X
	J7306	Levonorgestrel (contraceptive) implant system, including implants and supplies							X
	J7307	Etonogestrel (contraceptive) implant system, including implant and supplies							X
Contraception Prescription Medications		Apri							X
		Camila							X
		Conceptrol							X

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 yrs)	Women
		Enpresse							X
		EluRyng							X
		FC2 female condom							X
		Gynol II							X
		Junel Fe							X
		Kariva							X
		Levonorgestrel							X
		Lo Loestrin FE							X
		Low-Ogestrel							X
		Natazia							X
		Sprintec							X
		Today Sponge							X
		Tri-Sprintec							X
		Vaginal contraceptive film/ foam (VCF)							X
	Velivet							X	
	Xulane patch							X	
Prevention of morbidity/ mortality from pre-eclampsia for women ages 12-59		Aspirin 81mg							X
Pre-exposure prophylaxis to persons who are at high risk of HIV acquisition		Emtricitabine/tenofovir disoproxil fumarate (Truvada) one tablet daily	Must meet step therapy				X		
Folic Acid for all women planning or capable of pregnancy supplement		Folic acid 0.4 - 0.8 mg							X

Preventive Service	CPT/ HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 yrs)	Women
Vaccines	90460	Immunization administration through 18 years of age via any route of administration, with counseling by physician or other qualified health care professional; first or only component of each vaccine or toxoid administered					X	X	
	90461	Immunization administration through 18 years of age via any route of administration, with counseling by physician or other qualified health care professional; each additional vaccine or toxoid component administered					X	X	
	90471	Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); 1 vaccine (single or combination vaccine/toxoid)					X	X	
	90472	Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); each additional vaccine					X	X	

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 yrs)	Women
	90473	Immunization administration by intranasal or oral route; 1 vaccine (single or combination vaccine/toxoid)					X	X	
	90474	Immunization administration by intranasal or oral route; each additional vaccine (single or combination vaccine/toxoid)					X	X	
	90619	Meningococcal polysaccharide (groups A, C, Y, W-135) TT conjugate					X		
	90620	Meningococcal recombinant protein and outer membrane vesicle vaccine, serogroup B (MenB-4C), 2 dose schedule, for intramuscular use (Bexsero – only ages 10-25 yrs.)					X		
	90621	Meningococcal recombinant lipoprotein vaccine, serogroup B (MenB-FHbp), 2 or 3 dose schedule, for intramuscular use (Trumenba only for ages 10-25 yrs.)					X		
	90630	Influenza virus vaccine, quadrivalent, split virus, preservative free, intradermal use; 18-64 y.o.					X		
	90632	Hepatitis A vaccine					X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 yrs)	Women
		(HepA), adult dosage, IM							
	90633	Hepatitis A vaccine (HepA), pediatric/adolescent dosage-2 dose schedule, IM						X	
	90634	Hepatitis A vaccine (HepA), pediatric/adolescent dosage-3 dose schedule, IM					X	X	
	90636	HepA & HepB vaccine adult dose, IM					X		
	90644	Meningococcal conjugate vaccine, and Haemophilus influenzae type b (Hib) vaccine, 4 dose schedule, children 6 weeks-18 months of age, IM					X	X	
	90647	Haemophilus influenzae type b vaccine (Hib), 3 dose schedule, IM					X	X	
	90648	Haemophilus influenzae type b vaccine (Hib), 4 dose schedule, IM					X	X	
	90649	Human Papillomavirus (HPV) vaccine, 3 dose schedule, IM, ages 9-45					X	X	
	90650	Human Papillomavirus (HPV) vaccine, 3 dose schedule, IM, ages 9-45					X	X	
	90651	Human Papillomavirus					X	X	

Preventive Service	CPT/ HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 yrs)	Women
		(HPV) vaccine, 3 dose schedule, IM, ages 9- 45							
	90653	Influenza vaccine, IM (65 & older)					X		
	90654	Influenza virus vaccine, intradermal use						X	
	90655	Influenza virus vaccine, 0.25 ml, IM					X	X	
	90656	Influenza virus vaccine 0.5 ml, IM						X	
	90657	Influenza virus vaccine, children 0.25 ml, IM					X	X	
	90658	Influenza virus vaccine, 0.5 ml, IM					X	X	
	90660	Influenza virus vaccine, intranasal use					X	X	
	90661	Influenza virus vaccine, 0.5 ml, IM					X	X	
	90662	Influenza virus vaccine, IM					X	X	
	90664	Influenza virus vaccine, live (LAIV), pandemic formulation, for intranasal use					X	X	
	90670	Pneumococcal conjugate vaccine, IM					X	X	
	90672	Influenza virus vaccine, intranasal use					X	X	
	90673	Influenza virus vaccine, IM					X	X	
	90674	Influenza virus vaccine, quadrivalent (cclIV4), derived from cell cultures, subunit, preservative and antibiotic free, 0.5 mL dosage, for intramuscular use					X	X	

Preventive Service	CPT/ HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 yrs)	Women
		(Flucelvax)							
	90680	Rotavirus vaccine, 3 dose schedule, oral use					X	X	
	90681	Rotavirus vaccine, oral use					X	X	
	90682	Influenza virus vaccine, quadrivalent (RIV4), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use (Flublok)					X	X	
	90685	Influenza virus vaccine, 0.25 ml, IM						X	
	90686	Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, 0.5 mL dosage, for intramuscular use						X	
	90687	Influenza virus vaccine, children 6-35 months of age, IM						X	
	90688	Influenza virus vaccine, 0.5 ml, IM						X	
	90689	Influenza virus vaccine quadrivalent (IIV4), inactivated, adjuvanted, preservative free, 0.25 mL dosage, for intramuscular use.						X	
	90694	Influenza virus vaccine, quadrivalent (aIIV4), inactivated, adjuvanted, preservative free, 0.5 mL dosage, for intramuscular use					X	X	

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 yrs)	Women
	90696	Diphtheria, tetanus toxoids, acellular pertussis (DTaP) vaccine and inactivated poliovirus vaccine (IPV); children 4 through 6 years of age, IM					X	X	
	90697	DTaP-IPV-Hib-HepB vaccine, IM					X	X	
	90698	DTaP-IPV, Hib, IM						X	
	90700	DTaP vaccine, younger than 7 years, IM						X	
	90702	Diphtheria and tetanus toxoids (DT) when administered to individuals younger than 7 years, IM					X	X	
	90707	Measles, mumps & rubella (MMR), subq					X	X	
	90710	Measles, mumps, rubella & varicella (MMRV), subq					X	X	
	90713	Poliovirus vaccine, Subq					X	X	
	90714	Tetanus and diphtheria toxoids (Td) 7 years or older, IM					X	X	
	90715	Tetanus, diphtheria toxoids and acellular pertussis vaccine (TDaP), 7 years or older, IM					X	X	
	90716	Varicella virus vaccine (VAR), subq					X		
	90723	DTaP-HepB-IPV), IM					X	X	
	90732	Pneumococcal vaccine, 2 years or older, subq					X	X	

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 yrs)	Women
		or IM							
	90733	Meningococcal vaccine, subq					X	X	
	90734	Meningococcal vaccine, IM					X	X	
	90736	Zoster (shingles) vaccine, subq, covered for ages 50 and older					X		
	90739	Hepatitis B vaccine (HepB), IM					X		
	90740	Hepatitis B vaccine (HepB), dialysis or immunosuppressed patient, IM					X	X	
	90743	Hepatitis B vaccine (HepB), adolescent, IM					X	X	
	90744	Hepatitis B vaccine (HepB), pediatric/adolescent dosage, IM					X	X	
	90746	Hepatitis B vaccine (HepB), adult dosage, IM					X		
	90747	Hepatitis B vaccine (HepB), dialysis or immunosuppressed patient dosage, IM					X	X	
	90748	Hepatitis B and Haemophilus influenzae type b vaccine (Hib-HepB), IM					X	X	
	90750	Zoster vaccine recombinant, adjuvanted, suspension IM (Shingrix), covered for ages 50 and older					X		
	90756	Influenza virus vaccine, quadrivalent (cclIV4)					X	X	

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 yrs)	Women
	91300	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3mL dosage, diluent reconstituted, for intramuscular use					X		
	91301	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100 mcg/0.5mL dosage, for intramuscular use					X		
	91302	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, chimpanzee adenovirus Oxford 1 (ChAdOx1) vector, preservative free, 5x10 ¹⁰ viral particles/0.5mL dosage, for intramuscular use					X		
	91303	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19])					X		

Preventive Service	CPT/HCPC	CPT/HCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 yrs)	Women
		vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservative free, 5x10 ¹⁰ viral particles/0.5mL dosage, for intramuscular use							
	91304	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, recombinant spike protein nanoparticle, saponin-based adjuvant, preservative free, 5 mcg/0.5mL dosage, for intramuscular use					X		
	91305	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation, for intramuscular use					X		
	91306	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50					X		

Preventive Service	CPT/HCCPC	CPT/HCCPC/Drug Description	Requires PA	Requires Diagnosis	ICD-10 Code	ICD-10 Description	Adults	Children (newborn to 18 yrs)	Women
		mcg/0.25 mL dosage, for intramuscular use							
	91307	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation, for intramuscular use					X		

5.0 Unique Configuration/Prior Approval/Coverage Details:

Preventive health claims require the modifier 33 to be considered payable as a preventive service. However, PHP does not process claims based solely on the presence of modifier 33.

Preventive health services are dependent upon claim submission using preventive diagnosis (when applicable) and procedure codes in order to be identified and covered as preventive health services.

G0438 – Annual wellness visit; includes a personalized prevention plan of service, initial visit covered as a Preventive Service for Metal Plan members.

G0439 – Annual wellness visit, includes a personalized prevention plan of service, subsequent visit covered as a Preventive Service for Metal Plan members.

6.0 Terms & Definitions:

Diagnostic service. Done to monitor, diagnose or treat a health problem. A deductible, copayment or coinsurance may apply. The following are examples of diagnostic services:

- Management of a chronic condition such as diabetes.
- Follow-up tests ordered by a doctor after a preventive screening determined a health problem.
- Follow-up tests ordered by a doctor based on symptoms, such as abdominal pain.

Preventive health service. Screenings, tests, and services performed for symptom-free or disease-free individuals. They may also include immunizations and screening services for individuals who are symptom-free or disease-free and are at increased risk for a particular disease. There is no cost to the member.

Wellness examination. Well-baby, well-child, well-adult (including well-woman) examinations that include:

- An age- and gender-appropriate history.
- Physical examinations.
- Counseling/anticipatory guidance.
- Risk factor reduction interventions.
- The ordering of appropriate immunizations and laboratory/screening procedures.

7.0 References, Citations & Resources:

1. HeathCare.gov Preventive health services. Available at: <https://www.healthcare.gov/coverage/preventive-care-benefits/>.
2. National Conference of State Legislatures, Preventive Services Covered Under the Affordable Care Act. Available at: <http://www.ncsl.org/research/health/american-health-benefit-exchanges-b.aspx>.
3. U.S. Preventive Services Task Force A and B Recommendations, available at: <https://www.uspreventiveservicestaskforce.org/Page/Name/uspstf-a-and-b-recommendations/>.
4. Pharmacy uses Lexicomp and Facts and Comparison.[®]
5. Pharmacy Breast Cancer prophylactic policy.

8.0 Associated Documents [For internal use only]:

Sample Letter – UM Approval or Denial letter for services requiring prior approval.

Forms – MMF-04 Medical Prior Authorization Form, MMF-05 Pharmacy Authorization Form.

9.0 Revision History

Original Effective Date: January 1, 2016

Next Revision Date: 10/01/2022

Revision Date	Reason for Revision
7/17	Updated with new or more comprehensive coding and descriptions.
1/18	CPT code added for Cologuard (81528). AMA code changes effective 1/1/18: 1 code description change (90686), 4 codes deleted (G0202 - see 77067, Q9984 - see J7296, 87515 - no replcmt, 88154 - no replcmt). 3 new codes added (0403T, 0488T, 00812). Removed diagnosis requirement for 0403T and 0488T. Added new HCPC code J7296 for Kyleena. Added new CPT code 90756 Influenza virus vaccine, quadrivalent (ccIIV4), 0.5mL dosage, for

Revision Date	Reason for Revision
	intramuscular Effective 1/1/2018 the following medications will be available to members with a ACA plan for 40-70 years of age for \$0 copay: <ul style="list-style-type: none"> • Atorvastatin 10mg and 20mg • Fluvastatin 20mg and 40mg • Fluvastatin ER 80mg • Lovastatin 10mg, 20mg and 40mg • Pravastatin 10mg, 20mg, 40mg and 80mg • Rosuvastatin 5mg and 10mg • Simvastatin 5mg, 10mg, 20mg and 40mg NOTE: For members through 39 years of age and members age 71 and greater, the copay still applies at the Tier 1 benefit. It was a mandate by the ACA that we have medication in this category covered at no cost to the member. This is the standard CVS list which was approved at the 12/6/17 Pharmacy & Therapeutics committee.
6/18	Added code 90750 for shingles vaccine.
8/18	Removed nutritional therapy codes; 97802, 97803, 97804, S9449, S9452, S9470. Added G0473. Annual review by QI/MRM 12/12/18; added immunization codes: 90620, 90621, 90674 and 90682; added anesthesia for colonoscopy code 00811.
1/2019	1/1/2019 new codes added for BRCA: 81163-81167, strikethrough: 81211, 81213, and 81214. Added ICD-10 diagnosis codes for pre- and post-natal lab testing and for billing with G0446.
2/2019	Updated age on iron supplements and answered vaccine question
11/19	Annual review; separated medical and drugs into 2 tables, removed deleted codes from 2018 and 2019, revised age limits for HPV vaccine.
10/20	Off cycle review, added Lo Loestrin Fe and Truvada. Prenatal vitamins and Vitamin D were removed from the COC but not the policy. All products for bowel prep were cleaned up to match what is available in CVS.
5/21	Off cycle review; deleted NuvaRing, added EluRyng; copied and pasted 99385-99387 and 99395-99397 into Gynecological exam; cervical cancer screening section; added CPT code 58700 and ICD-10 code Z.30.2 to Female sterilization procedures section, removed breast pumps and female sterilization due to having OON coverage even though covered INN at 100%.
07/21	Off cycle review; added diagnosis codes, added Rx codes, changed bowel prep meds to start coverage at age 45, approved at 11/01/21 BCC.